


2013 Ergotron Coming Soon

Updated 05-24-13




This is Ergotron proprietary information and may be shared with customers
DO NOT provide hard or electronic copies externally.

WorkFit-A Drop Down KB Tray

On-demand sit-stand workstation — improve your energy and productivity by standing or sitting as you work, and then switch positions whenever you choose. Standing a little more each day burns extra calories, tones muscles, improves posture, increases blood flow and ramps up metabolism

- Safe, easy-to-use: simple installation and effortless operation
- Easily and simultaneously lift keyboard and screen to proper height for unsurpassed ergonomic comfort
- Patented Constant Force lift technology provides fluid, one touch adjustments for the keyboard and monitor positions for personalized computing
- Fold keyboard up and swing arm and monitor out of the way when you need your desk surface
- Included worksurface provides ample space and quick access to your personal items



Availability July 2013

WorkFit-A Drop Down KB Tray

- Lift Range: LCD and keyboard adjust 20" (51cm) in tandem; LCD adjusts 5" (13 cm) independently (limited by display size)
- Keyboard tray will drop below the desk surface
 - 4" (10 CM) below desk top surface
- Desk clamp and grommet mount standard with product
 - Attaches to surface thickness from 0.78" to 2.6" (2 to 6.5 cm)
- Weight Capacity: Maximum total load on height-adjustment assembly \leq 29 lbs (13.1 kg). LCD weight range 10-24 lbs (4.5-10.9kg), remaining 5 lbs (2.3kg) for keyboard, mouse, etc.
- Ability to clamp to desk surfaces
 - 24" or 30" (60.9 or 76.2 cm) depths (configured at the time of installation)
 - Includes grommet mount hardware for greater mounting flexibility
- Worksurface Dimensions: 22.63" x 9.75" (57.5 x 24.8 cm)
- Keyboard Tray Dimensions: 27" x 9.75" (68 x 24.8 cm)
 - Keyboard tray can be installed in 3 different positions: centered, offset right or left
- Cable management routes and hides cords
- Mounting Standards: VESA 75 or 100mm hole patterns



Availability July 2013

WorkFit-P

- Lower priced entry level sit-to-stand work station platform for Laptops
- Large worksurface/keyboard tray
 - Size 26" x 18" (66cm x 45.7cm)
- Weight capacity up to 15 lbs (6.8 kg)
- Includes hardware for desk mounting or grommet
- Will work with LX Sit-Stand extension accessory (45-362-026)



Available
July 2013

Universal Dual Bow

- Accommodates two, 17" - 24" monitors up to 14 lbs (6.3 kg) each
- For use on the LX and MX Arms, WorkFit-A, WorkFit-S, SV Combo Arm
- Will have solid plastic handle same as the Monitor Handle Kit!
- Will be backward and forward compatible with listed products



Available June 2013

WorkFit-A[a], for Apple

Provides the look and feel of Apple® along with the best ergonomics

- The Apple® monitors mount onto the worksurface with their stands
 - Older iMACs
 - New iMACs 21" and 27 "
 - Thunderbolt Monitors
- Will also have option that will work with Apple's VESA complaint iMACs
- Worksurface and Keyboard Tray aluminum look and feel
- Keyboard tray that will drop below the desk surface
- Desk clamp and grommet mount standard with product
 - Attaches to surface thickness from 0.78" to 2.6" (2 to 6.5 cm)
- Clamps to desk surfaces
 - 26 to 32 inch (66 to 81 cm) depths
 - Configured at the time of installation
- Keyboard tray tilt

In Develop
Available 3Q13



WorkFit-P[a], for Apple

Provides the look and feel of Apple® along with a sit to stand product for laptops

- Ideal for Apple® MacBook Pro or Air
- 20" (50.8 cm) Vertical Lift
- Worksurface/keyboard tray
 - Size 24" x 12.5" (60.9 cm x 31.7cm)
- Uses the new LX Sit-Stand arm
- Weight capacity up to 10 lbs (4.5 kg)
- Includes hardware for desk mounting or grommet

In Development
Available 3Q13




WorkFit-B, LD and WorkFit-B, HD

Upgrade your existing fixed office furniture into
Sit-to-Stand office furniture

- WorkFit-B, HD is the WF-D without the worksurface
 - Works with wood type worksurfaces ranging from:
 - 23.5"-30" (59.7 x 76.2 cm) deep
 - 48" – 72" (121.9 x 182.9 cm) wide
 - 0.80" – 1.25" (2 x 3.2 cm) thick
 - Full weight capacity including worksurface is 88 lbs (39.9 kg)
- WorkFit-B, LD is the WF-PD without the worksurface
 - Works with wood type worksurfaces ranging from:
 - 23.5"-26.5" (59.7 x 67.3 cm) deep
 - 31.5" – 48" (80.0 x 121.9 cm) wide
 - 0.80" – 1.25" (2 x 3.2 cm) thick
 - Works with office 1/6 corner cube worksurface shown below:
 - Full weight capacity including worksurface is 60 lbs (27.2 kg)
- Template will be included for customer installation

In Development
Available 3Q13



Glide Wall Mount VHD

- Self contained, extremely low profile lift module
- Engine travels with display
- 16" (406 mm) of smooth, continuous vertical lift
- Stows to 2.5" (63.5 mm) from wall
- Gravity Tilt provides 10° tilt
- 45 – 70 lbs (20.4 – 31.8 kg) capacity
- 24" (610 mm) height will hide behind all 42 – 60" displays
- VESA range 200 x 200 to 400 x 400




In Development
Available July 2013



Glide Wall Mount LD

- Low cost arm providing interactive functionality
- 10" (25 cm) of vertical lift
- 7" (178 mm) extension
- Stows to 4" (102 mm)
- Screen sizes from 26" to 39"
- Weights ranging from 10 lbs to 30 lbs (4.5 to 13.6 kg)
- Display tilt of 10° forward and 10° back.
- Pan 95° each side of center P/L 0 to 90°
- VESA range 100x100 to 400x400

In Development
Available 4Q13




OmniMount is a brand of Ergotron

MX Sit-Stand Arm

Upgrading the **MX** to full **Sit Stand**!

- 20" (508 mm) of smooth, continuous vertical lift.
- Increases extension range by 11" (28 cm) (from 22" to 33" (55.9 to 83.8 cm)
- 14-30 lbs (6–14 kg) lift capacity
- Energy Pivot
- Heavy Duty Desk Mount Base
- Wall and Desk Mount SKUs
- 100 MM VESA pattern and 200mm spider arms standard.
- 97-759, 400mm VESA Bracket kit available as an accessory



Available
Early 3Q13

Tablet Management Wall Mount 10

- Sleek and elegant, this compact solution easily stores, charges, and syncs up to 10 Apple iPad® devices.
- Full 2.1A charging capability
- Very low profile (only 4.0"/10.2 cm deep) and small wall footprint makes it perfect for space constrained areas. Compact Size: 23.2" W x 30.5" H x 4.0" D (58.9 x 77.5 x 10.2 cm)
- Security is key. Product is designed to deter theft with such features as steel frame construction, 6 point locks and security screws to attach product to the wall.
- Effortless operation. Using Ergotron's Show & Stow technology (patent pending), iPad devices are presented to the user when the door is opened for easy removal and storage.
- Easy to clean design hides device and cord clutter.
- Designed to hold the iPad device within a case - including the popular Griffin Survivor and Otterbox Defender

Made for



iPod



iPhone




iPad



Tablet Management Wall Mount 10

- **Standard key locks** secure side access doors
- Easy to read **ISI LEDs** show power and charging status of each individual device at a glance
- 6 foot power cord
- **External USB port** to connect laptop for syncing
- Hardware included to mount on wood studs or concrete walls
- Unit comes with your choice of **cables pre-installed**. Choose 30 pin or Lightning™ cable options to work with your particular Apple device.
- Certification to **UL 60950** standards, FCC requirements, all applicable country-specific regulations (PSE, C-Tick, etc), and OSHPD standards pending.
- MSRP: \$949 with 30 pin cables, \$1049 with Lightning


Product Launched May 7
Available Late July 2013 – 30 pin cables
Late August 2013 – Lightning cables



Tablet Management Station 16

- Compact USB charging station charges and syncs up to 16 Tablet devices
- Space saving tower style design
- Easy to move and store away when not in use
- Individual Status Indicators (ISI) provide charging status
- Includes device racks
- Full 2.1A charging capability

In Development
Available 3Q13



Case & VESA Wall Mount, for iPad®



- Protective case includes low profile steel structure on back
- Designed to accept Apple® Smart Cover
- Magnetic interface with Wall Mount for solid, self positioning system
- Wall Mount incorporates 100x100 VESA pattern

In Development
Available 3Q13

StyleView® VL Sit-Stand

- **Patient Room**
 - 18" (45.7 cm) of vertical adjustment
 - 50° left/right monitor pan
 - Fold-down keyboard with 120° left/right pan and slides out 5" (12.7 cm)
 - Features small fold up worksurface
 - To include mouse pad, wrist rest, scanner holder, and mouse pouch.
- **High Traffic**
 - 18" (45.7 cm) of vertical adjustment
 - Auto Retract Keyboard with negative tilt and L/R mouse tray
 - Keyboard tray folds to less than 4" (10.2 cm) from wall
 - To include mouse pad, wrist rest, scanner holder, and mouse pouch.


Patient Room



High Traffic



In Development
Available 3Q13



SV Front Tray Accessory

- Front-mount tray for SV4X carts
- Dimensions
 - Internal roughly 16" W x 12" D x 3" H (40.6 x 30.5 x 7.6 cm)
 - External less than 20" W x 14" D (50.8 x 35.6 cm)
- Weight capacity 13 lbs (5.9 kg)
- No travel down stop will be included
- Bracket will attach to extrusion using t-nuts in the rear t-slot
- Tray will be easily removable for cleaning



In Development
Available 3Q13

SV Teleconferencing Accessory Kit

Provide a shelf that attaches to the SV LCD's VESA plate that will allow a camera to be attached above the monitor facing the user.

- Shelf dimensions: 8"W x 4"D (20 x 10 cm)
- Weight capacity of the shelf ~ 2 lbs (1 kg)
- Weight capacity for the monitor will be reduced by weight of camera and shelf
 - With 5" lift locked out – 16 lbs (7.3 kg)
 - Without 5" lift locked out – 10 lbs (4.5 kg) on SLA, 7 lbs (3.2 kg) on LiFe
 - Arm – 10 lbs (4.5 kg) on SLA, 7 lbs (3.2 kg) on LiFe
- Shelf's riser will be adjustable for different height monitors
- Camera attaches to shelf using Velcro or nylon strap (similar to that used in the notebook head unit)

In Development
Available 3Q13



SV Scanner Shelf

- Scanner shelf supports wireless scanner charging base
- Shelf dimensions: 8"W x 4"D (20 x 10 cm)
- Weight capacity of shelf 2 lbs (1 kg)
- Shelf riser is adjustable for different heights – to allow room to access buttons on worksurface
- Scanner attaches to shelf using base's screw mount, Velcro, or nylon strap
- Scanner shelf may be used on the cart's rear t-slot, attached to the cart's head unit, or attached to wall track using bracket 97-091

SV cart's rear t-slot



Wall track



SV head unit



In Development
Available 3Q13

SV Transfer Cart


- Designed to hold minimum of 120 drawers
- Each shelf holds 6 small drawers, 2 large, or combination of large & small – back to back (up to 120 drawers to support 20 POC carts or more)
- Electronic lock as well as manual key lock for cart doors
- Handle located on one end, height of 40" (102 cm)
- Exterior smooth, with no exposed ribs for easy cleaning
- Carts ship fully assembled, but empty (no drawers included)
- FCC compliant

In Development
Available 4Q13



SV Transfer Cart

- 4" bearing casters for smooth push/pull and easy maneuverability
- External dimensions
 - Height 40" (102 cm)
 - Width 38" with handle (97 cm), 35" (89 cm) without
 - Depth 27.5" (70 cm)
- Shelves are removable or repositionable to support envelope or other taller items
- Shelves include a lip feature to keep drawers from sliding around inside the cart during transit



In Development
Available 4Q13